Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	154	detect$3 same captur$3 same ((before or after) with execut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 16:55
L2	0	detect$3 same captur$3 same ((before or after) with execut$5) same (operating near2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 16:53
L3	107	detect$3 same ((captur$3 or catch$3 or snap$4) near2 (file$1 or data)) same ((before or after) with (execut$5 or perform$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 17:16
L4	1	detect$3 same ((captur$3 or catch$3 or snap$4) near2 (file$1 or data)) same ((before or after) with (execut$5 or perform$4)) same (operating near2 system$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 16:56
L5	2	detect$3 same ((captur$3 or catch$3 or snap$4) near2 (file$1 or data)) same ((before or after) with (execut$5 or perform$4)) same ("OS" or (operating near2 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 17:15
L6	214	detect$3 same ((captur$3 or catch$3 or snap$4) near2 (file$1 or data)) same ((before or after) with (execut$5 or perform$4 or read$3 or writ$3 or delet$3 or cop$3 or past$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 17:17
L7	3	detect$3 same ((captur$3 or catch$3 or snap$4) near2 (file$1 or data)) same ((before or after) with (execut$5 or perform$4 or read$3 or writ$3 or delet$3 or cop$3 or past$3)) same ("OS" or (operating near2 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 17:23
L8	4	6 and 707/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 17:24
L9	2	6 and 707/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 17:24

| L10 | 4 | 6 and 707/200.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/04 17:24 |
| L11 | 18 | 6 and "707"/$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/04 17:25 |